

**AMENDMENTS TO THE CLAIMS**

The following listing of claims replaces all prior versions of the claims in the Application. With reference to the listing it is noted that, herewith, claims 1, 17, 32, and 48 are amended. No new matter has been added.

**Listing of Claims**

1. (Currently Amended) A method for presenting information to a user, comprising:

providing to said user, in accordance with one or more specified criteria, a ~~moving non-~~  
moving display of one or more notifications corresponding to one or more events known by a  
node of said user, wherein each of said notifications describes one or more of said events,  
wherein the notifications had previously been moving ~~the moving display is provided~~ while a  
user interface of said node is ~~displaying~~ displayed a screensaver; and

~~providing to said user a non-moving display of one or more of the notifications; and~~

enabling said user to select, via the non-moving display, one or more of the notifications  
for activating corresponding operations.

2. (Original) The method of claim 1, wherein said one or more of said events relate to software  
accessible by said node.

3. (Original) The method of claim 1, wherein one or more of said events relate to one or more  
messages received by said node.

4. (Original) The method of claim 3, wherein one or more of said messages correspond to one or

more entities.

5. (Original) The method of claim 3, wherein one or more of said messages correspond to chat.

6. (Original) The method of claim 1, wherein two or more of said notifications are displayed simultaneously to said user.

7. (Canceled)

8. (Original) The method of claim 1, wherein one or more of said notifications are textual notifications.

9. (Original) The method of claim 1, wherein one or more of said notifications are graphical notifications.

10. (Original) The method of claim 1, wherein said criteria are provided by said user.

11. (Original) The method of claim 1, wherein said criteria are provided by a system administrator.

12. (Original) The method of claim 1, wherein one or more of said criteria are metadata.

13. (Original) The method of claim 1, wherein said notifications scroll.

14. (Original) The method of claim 13, wherein scrolling is three-dimensional.

15. (Original) The method of claim 1, wherein software corresponding to a selected notification is activated.

16. (Original) The method of claim 1, further comprising providing a tactile indication to said user.

17. (Currently Amended) A method for notifying a user in a peer-to-peer environment, comprising:

maintaining a number of authenticated connections to one or more nodes in said peer-to-peer environment;

receiving from one of said nodes, via one or more of said authenticated connections, one or more messages to be bypassed; and

providing to said user a ~~moving~~ non-moving display of one or more notifications corresponding to one or more of said messages to be bypassed wherein content of each of the messages to be bypassed to which said notifications correspond matches one or more specified criteria, wherein each of said notifications describes one or more of said messages to which said notifications correspond, and wherein the notifications had previously been moving while a user interface of said node displayed a screensaver,

wherein ~~the moving display is provided and~~ maintaining and receiving ~~are~~ were performed while ~~[[a]] the user interface of said node is displaying~~ displayed ~~[[a]] the~~

screensaver; and

~~providing to said user a non-moving display of one or more of the notifications.~~

18. (Original) The method of claim 17, wherein one or more of the received messages to be bypassed correspond to one or more entities.

19. (Original) The method of claim 17, wherein one or more of the received messages to be bypassed correspond to chat.

20. (Original) The method of claim 17, wherein two or more of said notifications are displayed simultaneously to said user.

21. (Original) The method of claim 17, wherein displaying is via a screensaver.

22. (Original) The method of claim 17, wherein one or more of said notifications are textual notifications.

23. (Original) The method of claim 17, wherein one or more of said notifications are graphical notifications.

24. (Original) The method of claim 17, wherein said criteria are provided by said user.

25. (Original) The method of claim 17, wherein said criteria are provided by a system

administrator.

26. (Original) The method of claim 17, wherein one or more of said criteria are metadata.

27. (Original) The method of claim 17, wherein said notifications scroll.

28. (Original) The method of claim 27, wherein scrolling is three-dimensional.

29. (Previously Presented) The method of claim 17, further comprising:

enabling said user to select, via the non-moving display, one or more of the notifications for activating corresponding operations.

30. (Original) The method of claim 29, wherein software corresponding to a selected notification is activated.

31. (Original) The method of claim 17, further comprising providing a tactile indication to said user.

32. (Currently Amended) A system for presenting information to a user, comprising:

a memory having program code stored therein; and

a processor operatively connected to said memory for carrying out instructions in accordance with said stored program code;

wherein said program code, when executed by said processor, causes said processor to

perform:

providing to said user, in accordance with one or more specified criteria, a ~~moving~~ non-moving display of one or more notifications corresponding to one or more events known by a node of said user, wherein each of said notifications describes one or more of said events, wherein the notifications had previously been moving ~~the moving display is provided~~ while a user interface of said node ~~is displaying~~ displayed a screensaver; and

~~providing to said user a non-moving display of one or more of the notifications; and~~

enabling said user to select, via the non-moving display, one or more of the notifications for activating corresponding operations.

33. (Original) The system of claim 32, wherein said one or more of said events relate to software accessible by said node.

34. (Original) The system of claim 32, wherein one or more of said events relate to one or more messages received by said node.

35. (Original) The system of claim 34, wherein one or more of said messages correspond to one or more entities.

36. (Original) The system of claim 34, wherein one or more of said messages correspond to chat.

37. (Original) The system of claim 32, wherein two or more of said notifications are displayed simultaneously to said user.

38. (Canceled)

39. (Original) The system of claim 32, wherein one or more of said notifications are textual notifications.

40. (Original) The system of claim 32, wherein one or more of said notifications are graphical notifications.

41. (Original) The system of claim 32, wherein said criteria are provided by said user.

42. (Original) The system of claim 32, wherein said criteria are provided by a system administrator.

43. (Original) The system of claim 32, wherein one or more of said criteria are metadata.

44. (Original) The system of claim 32, wherein said notifications scroll.

45. (Original) The system of claim 44, wherein scrolling is three-dimensional.

46. (Original) The system of claim 32, wherein software corresponding to a selected notification is activated.

47. (Original) The system of claim 32, wherein said processor further performs providing a tactile indication to said user.

48. (Currently Amended) A system for notifying a user in a peer-to-peer environment, comprising:

a memory having program code stored therein; and

a processor operatively connected to said memory for carrying out instructions in accordance with said stored program code;

wherein said program code, when executed by said processor, causes said processor to perform:

maintaining a number of authenticated connections to one or more nodes in said peer-to-peer environment;

receiving from one of said nodes, via one or more of said authenticated connections, one or more messages to be bypassed; and

providing to said user a ~~moving~~ non-moving display of one or more notifications corresponding to one or more of said messages to be bypassed wherein content of each of the messages to be bypassed to which said notifications correspond matches one or more specified criteria, wherein each of said notifications describes one or more of said messages to which said notifications correspond, and wherein the notifications had previously been moving while a user interface of said node displayed a screensaver,

wherein ~~the moving display is provided and~~ maintaining and receiving ~~are~~ were performed while ~~[[a]] the user interface of said node displaying~~ displayed ~~[[a]] the screensaver;~~ and



~~providing to said user a non-moving display of one or more of the notifications.~~

49. (Original) The system of claim 48, wherein one or more of the received messages to be bypassed correspond to one or more entities.

50. (Original) The system of claim 48, wherein one or more of the received messages to be bypassed correspond to chat.

51. (Original) The system of claim 48, wherein two or more of said notifications are displayed simultaneously to said user.

52. (Original) The system of claim 48, wherein displaying is via a screensaver.

53. (Original) The system of claim 48, wherein one or more of said notifications are textual notifications.

54. (Original) The system of claim 48, wherein one or more of said notifications are graphical notifications.

55. (Original) The system of claim 48, wherein said criteria are provided by said user.

56. (Original) The system of claim 48, wherein said criteria are provided by a system administrator.

57. (Original) The system of claim 48, wherein one or more of said criteria are metadata.

58. (Original) The system of claim 48, wherein said notifications scroll.

59. (Original) The system of claim 58, wherein scrolling is three-dimensional.

60. (Previously Presented) The system of claim 48, wherein said processor further performs:

enabling said user to select, via the non-moving display, one or more of the notifications for activating corresponding operations.

61. (Original) The system of claim 60, wherein software corresponding to a selected notification is activated.

62. (Original) The system of claim 48, wherein said processor further performs providing a tactile indication to said user.